

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re

Patent Application of

Steven C. Thompson

Application No. 10/702,339

Confirmation No.: 8117

Filed: November 6, 2003

U.S. Patent No. 7,165,360

Issued: January 23, 2007

“MODULAR ROOM SYSTEM AND
METHOD”

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


It is hereby requested that a Certificate of Correction be issued with respect to Patent No. 7,165,360, granted January 23, 2007, in accordance with the Certificate of Correction form attached hereto.

The errors listed on the Certificate of Correction form were incurred through the fault of the Office as will be disclosed by the file history.

Please charge any fees to Account No. 50-1965.

Respectfully submitted,

Date: 4/9/07



Martin L. Stern, Reg. No. 28,911
Michael Best & Friedrich LLP
Two Prudential Plaza
180 North Stetson Avenue, Suite 2000
Chicago, Illinois 60601
312.222.0800

File No. 205327-9018

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO: 7,165,360
DATED January 23, 3007
INVENTOR: Steven C. Thompson

It is certified that errors appear in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

On the Patent Face:

Please add:

--Related U.S. Application Data

(63) Continuation of application no. PCT/US02/14353, filed on May 6, 2002, which claims benefit of provisional application no. 60/289,263, filed May 7, 2001.--

MAILING ADDRESS OF SENDER:

Michael Best & Friedrich LLP
Two Prudential Plaza
180 N. Stetson Ave., Suite 2000
Chicago, IL 60601